

LITTLE-CARS.COM

H&S Airbrush & Compressor Catalogue

We strive to offer quality products while still offering value for money.

Prices (inc 20% VAT)	Offer Prices
Ultra	£ 62.00
Hansa 381 Black /Chrome	£108.00
Evolution Solo	£ 98.00
Evolution Silverline Solo	£102.00
Evolution Silverline M	£120.00
Evolution Two in One	£133.00
Evolution Silverline 2in1	£137.00
Evolution fPc Two in One	£155.00
Evolution CRplus	£130.00
Infinity Solo	£158.00
Infinity Two in One	£205.00
Infinity CRplus	£180.00
Colani	£175.00
Iwata Neo CN	£ 50.00
Iwata Revolution CR /BR	£ 96.00
Iwata Eclipse BS / CS / SBS	£131.00
Iwata HP plus B /C	£158.00
Iwata Hi-line AH / BH / CH	£193.00
Iwata TR-0 / 1 / 2	£179.00
Grex Genesis XA Was £80.00	£ 60.00 Special
Grex Genesis XT Was £125.00	£ 95.00 Special
Grex Tritium TG2 / TG3	£190.00
Graphicair A300S-Ducted Extractor	£280.00 Filters £18.00
little-jet Compressor	£130.00
little-tank Compressor	£220.00

little-cars airbrushing sets : £230 for the standard starter set

LITTLE-CARS.COM

H&S Airbrush & Compressor Catalogue

Advanced Airbrush starter set

We have put together a high quality, value for money set for first time airbrush users. With upgrade options to suit every user.

This contains everything you need to get you airbrushing and brings together top quality products that we are confident will give you many years of service.

The kit consists of the **Harder & Steenbeck Evolution Solo**



The Evolution airbrush is a high quality German designed and manufactured airbrush and perfect for the beginner being easy to use and clean. It can also be adapted and added to as your needs change

The brush features a fine to general purpose 0.2mm paint nozzle (this fits into the air-cap then self centres onto the brush as the air-cap is screwed onto the front of the brush), 2ml gravity feed paint cup

little-jet Compressor



The little-jet is our standard compressor offering. It is manufactured by Sparmax who make similar units for Iwata and Harder & Steenbeck.

Very simple to operate, with an On/Off switch on the top and a moisture trap and air regulator attached to the front.

It is light, very portable and suitable for either occasional or professional use.

- Low maintenance, Quiet running 1/8 Hp motor approx 40dB
- Pressure gauge, moisture trap & Air pressure Regulator
- Manual Power switch, Full 12 month Guarantee
- 2m Black heavy duty air hose
- Size: 26.5 x 14.5 x 17cm Weight: 3.5kg

LITTLE-CARS.COM

H&S Airbrush & Compressor Catalogue

The Set also includes



Standard face mask



Cleaning pot Acts as a desktop stand when airbrushing and collects unwanted spray when cleaning the brush.



H & S Cleaning Brush

The right size for cleaning the airbrush and nozzle



H & S Workshop DVD

Takes you through the airbrush features, cleaning and practice exercises.

A bottle of airbrush cleaner

Our standard Evolution Solo set is only £230.00
There are a number of options available depending on your needs :-

H&S Ultra less £35

H&S Evo Silverline Solo+£5

H&S Evo Silverline M +£20

H&S Evolution 2in1+£35

H&S Evo Silverline 2in1+£40

H&S Evo Silverline fPc 2in1 +£55

H&S Evolution Crplus +£32

H&S Infinity Solo +£60

H&S Infinity 2in1 +£105

H&S Infinity Crplus +£80

Hansa 381 Black +£10

GreX Tritium TG +£95

Neo CN for Iwata less £35

Iwata Revolution BR/CR +£15

Iwata Eclipse +£50

Iwata HP Plus +£80

Iwata Hi-line +£120

Iwata Revolution TR +£105

little-tank compressor +£85

Scott P2 face mask + £25

Full details of the airbrushes & compressors can be found in this catalogue

Harder & Steenbeck Ultra Airbrush

This is the Starter airbrush from H&S.

It is supplied with a general purpose 0.2mm nozzle and a 2ml paint cup.

It is a high quality airbrush at a budget price and is designed and manufactured in Germany by Harder & Steenbeck.



This is a traditional double action airbrush and utilises the same needles nozzles that are used in both the Evolution and infinity Ranges.

As well as the supplied 0.2mm Nozzle set the Ultra can also be fitted with an 0.4mm nozzle set for larger area work (available as an accessory).

Cleaning is very simple, no tools are needed for disassembly, so access is simple, although we do supply one of H&S's own cleaning brushes to help.

The biggest problem with a lot of airbrushes is removing the needle and paint nozzle for cleaning. This isn't an issue, the needle can be removed from the rear of the brush and the nozzle from the front.

The nozzle (see right) is big enough to hold for cleaning and normally sits in the air cap (far right) and compression fits to the airbrush as it is screwed on.


The brush is supplied with the H&S Cleaning brush, H&S Workshop DVD to help get you started and is covered by the H&S 24 month warranty.



Harder & Steenbeck

Evolution Solo Airbrushes

The Evolution is the middle of the Harder & Steenbeck range and is the workhorse for the majority of users. This is a traditional double action airbrush and is easy to use, clean and disassemble without the need for tools.



Evolution Solo

The first two brushes feature a 0.2mm paint nozzles that fit into the air-cap then self centre onto the brush as the air-cap is screwed onto the front of the brush.

A 2ml gravity feed paint cup and a quick release connector as standard. The Silverline features an all Chrome finish and a manual paint flow restrictor on the rear handle



Evolution Silverline Solo

These brushes can be used as a base and expanded to meet the user's requirements.

The gravity feed paint cups are removable and sizes from 0.5ml to 50ml can be fitted. There are also a full range of Nozzle sets available for the brushes. The 0.15mm for very fine detail work, 0.2mm for detail to general purpose work, 0.4mm for larger area and 0.6mm for wide area coverage.


Harder & Steenbeck

Evolution Silverline M

Not everyone needs a gravity feed airbrush or a fine paint nozzle, so Harder & Steenbeck have the Evolution Silverline M.

Using the same needle/nozzle/aircap as the other Evolution brushes for ease of cleaning, the brush features both gravity and suction feed options.

As supplied, the brush features a 0.4mm nozzle set and a 5ml side mounted gravity paint cup that screws into the right hand side of the brush.



Evolution Silverline M

Gravity feed side cup installed

Also in the supplied case is a suction feed attachment with a 15ml bottle attached as well a spare 15ml paint bottle.



Evolution Silverline M, side mounted

suction feed bottle attached

While you cannot use the standard Evolution gravity feed paint cups on this side fed brush, spare paint bottles and a lid for the 5ml cup are options as well as the normal needle/nozzle/aircap sets from 0.15mm to 0.6mm & other accessories e.g. fPc (mac valve) and quick fix handles

Harder & Steenbeck

Evolution Two in one Set



The Evolution is the middle of the Harder & Steenbeck range and is the workhorse for the majority of users.

The Evolution is a traditional double action airbrush and is supplied with a 0.2mm and 0.4mm Nozzle set.

Paint is gravity fed by either of the supplied 2ml or 5ml gravity feed paint cup. Like all the H&S brushes it is easy to clean thanks to the innovative design and self centring drop in paint nozzle.

Evolution Silverline 2 in 1 Set



Supplied with the same 0.2mm, 0.4mm nozzle sets & 2ml, 5ml paint cups as it's sister brush the Evolution 2in1.

The Silverline features an all Chrome finish and a manual paint flow restrictor on the rear handle.

Both Evolution 2in1 Brushes can be upgraded to 0.15 or 0.6mm nozzle sets. Optional paint cups the 0.5ml micro cup as well as the 15ml & 50ml cup for larger areas.

Harder & Steenbeck

Evolution Silverline fPc 2in1



This is the top of the Evolution range and features both a paint flow needle restrictor and an on brush air regulator (fPc).



The Evolution Silverline Brush is presented in an all chrome finish. It is fitted with a manual paint flow restrictor on the handle as standard and an fPc valve (regulator) on the stem.

The fPc two-in-one set features;

- 2mm paint cup (fitted)
- 0.15mm self-centring, drop-in nozzle set (fitted)
- 5ml paint cup for larger paint jobs
- 0.4mm needle, self-centring, drop-in nozzle and head set
- On brush air regulator (fPc), allowing 20% to 100% of the air supply
- Manual paint flow restrictor on handle
- Quick release connector fitted on the as standard 1/8th inch connector

Harder & Steenbeck

(infinity) Two in one.



The Infinity is the top of the range airbrush from Harder and Steenbeck.

It takes the Evolution concept to the next level. Keeping many of the tried and tested Evolution components, and then adding even more features;



- 2mm paint cup (fitted) and 5ml paint cup for larger paint jobs
- 0.15mm self-centring, drop-in nozzle & needle set (fitted)
- 0.4mm needle, self-centring, drop-in nozzle and head set
- Variable Trigger sensitivity
- Quick-fix paint flow restrictor on handle, with numbered dial
- Push-fit needle cap, fine line and distance cap included
- Quick release connector fitted on the as standard 1/8th inch connector

(infinity) Solo

For those who want a detail only brush the Infinity Solo, is available at a lower price than the two in one set. And is as above, but without the 5ml paint cup and 0.4mm nozzle set.

Harder & Steenbeck

Evolution CR plus

Infinity CR plus



H&S have released upgraded versions of both the Evolution and Infinity airbrushes.

All brushes feature; paint cup lid, Heavy duty chrome plating, Triple internal copper and nickel coatings, New paint cup and triple Teflon needle seal, Infinity style fine line air cap.

There are 3 Evolution and 3 Infinity models available as follows:

Evolution CRplus 0.15mm features 0.15mm or 0.2mm nozzle set & 2ml paint cup

Evolution CRplus 0.4mm features 0.4mm nozzle set and 5ml paint cup



Infinity CRplus 0.15mm or 0.2mm features 0.15mm nozzle set & 2ml paint cup

Infinity CRplus 0.4mm features 0.4mm nozzle set and 5ml paint cup



Chrome plated spares and CR plus seals available, please ask for details.

Hansa

Topline 381



Hansa is a company with a tradition of producing quality instruments.

They were taken over by Harder and Steenbeck in 2000 and now produce a range of airbrushes that show a slightly different approach than Harder and Steenbeck.

The Hansa Topline range of airbrushes are all gravity fed. The 181 has a 1ml internal cup, the 281 has a 2ml cup and the 381 has a 5ml cup.

We are stocking the 381 model in both the distinctive black and the traditional chrome finish shown above.

All the Topline brushes feature a controlled double action function. The trigger is just pulled back and not pushed down. The air valve opens automatically as the trigger is pulled back.

The brush features are as follows:

- 5ml gravity feed paint cup (removable) with lid
- 0.3mm self centring, drop in nozzle, needle and head set
- Manual paint flow restrictor on the handle as standard
- Quick release connector fitted on the standard 1/8th inch connector

This brush is a good general purpose brush as well as being suitable for beginners and those that have problems operating traditional double action brushes.



Tritium.TG



Tritium.TG

Dual Action Pistol Style Airbrush, Top Gravity

The TG combines ease-of-use, comfort, superior detail control and the versatility of using the perfect top gravity cup size for your project. With several unique and patented features, this airbrush truly is a Grex. Little-cars stocks the TG3 unit with a 0.3mm nozzle. The TG2 with a 0.2mm and TG5 with a 0.5mm nozzle set are available as a factory order. Conversion needle/nozzle and head sets for 0.2, 0.3 & 0.5mm are available from stock for £25 when purchased with a brush.

Features:


- Easy-to-use "pull" trigger controls both air and paint.
- Ergonomic pistol handgrip for a firm comfortable grip.
- Patented Quick-Fit™ needle caps are quick to setup and remove.
- Quick-Fit™ crown cap allows detailed spraying close to the subject.
- Rear handle Quick-Fit™ needle cap storage.
- Inline top mount cups offer balanced handling of the airbrush.
- Design allows optimal paint flow when the brush is held in an angle.
- Paint cup is easy to clean & perfect for minute paint quantities.
- Preset adjustment knob for precise paint volume control.
- Replaceable solvent proof teflon seals allows use of all media.
- Includes 3 screw in paint cups: 2ml, 7ml & 15ml
- New design nozzle design for improved air flow and durability.
- Convenient to clean design for ease of maintenance.

Specifications:

Type: Double Action Pistol Style
Fluid Nozzle: 0.2mm, 0.3mm, or 0.5mm
Feed Type: Top Gravity
Fluid Capacity: 2ml, 7ml or 15ml
Weight: 180g (6.4 oz.)
Length: 159mm (6.25")

Iwata Revolution TR-0/TR-1 / TR-2 Airbrush

TR-1



Featuring a Pistol Trigger with a fixed dual-action operation.

The Iwata Revolution TR Airbrushes deliver comfortable, ultra-smooth performance that's ideal for anything from general modelling to custom automotive painting.

Supplied with the FA450 Iwata Pistol Grip Filter that acts as a secondary moisture defence, the HP-TR range spray just like conventional airbrushes.

Their designs offer the same comfort and feel typical of a larger spray gun, perfect if you are either used to this type of gun or have any joint problems that restrict your use of a conventional airbrush.

Each is impervious to solvent-based paints thanks to the Teflon packing needle seal, which can be easily replaced.

The HP-TR0 (0.2mm) comes with a 7ml side-mount colour cup,

The HP-TR1 (0.3mm) comes with a 7ml side-mount colour cup,

The HP-TR2 (0.5mm) sports a 15ml . side-mount cup.

Note: Compatible with Iwata replacement cups, plastic cups and Iwata 1oz & 2oz side-mount bottles.

An optional custom grip handle (K200) is available as an accessory for even greater comfort

Our compressors are from the same factory that makes the Iwata Sprint Jet that we have been selling for years.

So they have a proven track record and should give many years of use.

little-jet compressor



The little-jet is our standard compressor offering.

Controlled by a manual on/off switch with a combined moisture trap and air regulator. It is light, very portable and suitable for either occasional or professional use. It is a robust design manufactured with quality components and is both quiet in operation and affordable.

Features of the little-jet:

- Low maintenance, oil-less single piston air compressor
- Quiet running 1/8 Hp motor
- Pressure gauge, moisture trap & Air pressure Regulator
- 12-16 litres of air per minute.
- Manual Power switch
- Supplied with a 6mm black vinyl hose with a standard 1/8th connector.
- Voltage: 220-240V
- Size: 26.5 x 14.5 x 17cm
- Weight: 3.5kg
- One year Guarantee

We have options to convert the supplied hose to fit all popular airbrushes

little-tank Compressor



This is our premium compressor. Like the other little-cars range of compressors this unit is made in the same factory as the Iwata range of compressors and is the same high quality and should give many years of use.

The motor is an up-rated 1/6th hp version of the reliable unit that is used in both the Iwata Sprint Jet and little-jet compressors.

This motor sits above and feeds a 2.5 litre air tank.

Once the tank pressure reaches 60psi the motor cuts out automatically.

It then starts up again when the tank pressure goes below 40psi.

Other Features;

- A combined moisture trap/regulator is fitted to the front of the tank.
- Airflow is quoted at 23-26lpm, so two airbrushes can be fed at once
- The unit is normally supplied with two large ¼inch take off points (one is capped off)
- A 2.5m heavy duty clear vinyl hose is supplied and we have options to convert the supplied hose to fit all popular airbrushes
- Size is 27 by 16 by 37cm high and the unit weighs about 8Kg
- It is quiet in operation; rated at 39dB
- The steel case and soft rubber feet help dampen vibration
- And the top carry handle make it easy to move the unit around. The compressor carries a two year guarantee from little-cars.

Graphicair A300S-D



Made in the UK and with a lifetime guarantee this is the most cost effective solution we have found to clearing particles and fumes from the room.


Featuring a metal case, centrifugal blower mounted in front of a brushless motor. All wiring and switches are sealed.

The unit is supplied with a 2m by 100mm flexi-duct and carrying handle. This can be attached to standard domestic vents.

A replaceable fume/spray shield is attached to the the front of the unit.

The unit can be used upright for airbrushing, modelling and soldering application, or on its back for spraying lacquer, fixatives etc to artwork up to A3 in size.

A300S-D Weight = 10 kgs



Filtration

The particulate (intake) filter is a three stage graduated fibre filter with a high 'dust' holding capacity for long life. Filtration to 5 micron particles. NB: Spray particulate sizes vary from 10 to 20 microns.

The dual process of filtration and then extraction to atmosphere via flexi-duct, vastly reduces and/or eliminates operator exposure to potentially hazardous substances.

Specification

Model Number	Fan Motor* Spec	Air Volume At Free Air	Ave. Air Velocity At Filter Face	Ave. Air Velocity At Shield Face	Noise Level LAeq dB(A)
A300S-D	230V 50Hz 105W	355 m3/hr	0.6 m/sec	0.50 m/sec	58

* 110 Volts 50 or 60Hz available if required

This unit is intended for Hobby & Workshop environments, for immediate operator protection from airborne contaminants. Not recommended for continual commercial applications. We can supply other units that are designed for this application.